


PN-AP4 (PN-AF4)




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×1, 15A×1
 (Fuse Holders : 5A×2, 10A×1, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 120.0mm×131.0mm
 Size of Hole : 93.0mm×104.0mm
 Certification : CE IP65

PN-AP6 (PN-AF6)




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×6
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 120.0mm×183.0mm
 Size of Hole : 93.0mm×160.0mm
 Certification : CE IP65

PN-AP8 (PN-AF8)




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×8
 Circuit Breakers : 5A×4, 10A×2, 15A×2
 (Fuse Holders : 5A×4, 10A×2, 15A×2)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 120.0mm×235.0mm
 Size of Hole : 93.0mm×210.0mm
 Certification : CE IP65

PN-RP4 (PN-RF4)




Switch Rating : 12V 10A DC
 Panel Rating : Maximum Cumulative Amp : **40A**
 Rocker Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×1, 15A×1
 Fuse Holders : 5A×2, 10A×1, 15A×1
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 90.0mm×131.0mm
 Size of Hole : 70.0mm×110.0mm
 Certification : CE IP65

PN-RP6 (PN-RF6)



Switch Rating : 12V 10A DC
 Panel Rating : Maximum Cumulative Amp : **40A**
 Rocker Switch 【SPST / ON-OFF】 ×6
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×2, 10A×1, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 90.0mm×183.0mm
 Size of Hole : 70.0mm×160.0mm
 Certification : CE IP65

PN-RP8 (PN-RF8)



Switch Rating : 12V 10A DC
 Panel Rating : Maximum Cumulative Amp : **40A**
 Rocker Switch 【SPST / ON-OFF】 ×8
 Circuit Breakers : 5A×4, 10A×2, 15A×2
 (Fuse Holders : 5A×4, 10A×2, 15A×2)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 90.0mm×235.0mm
 Size of Hole : 70.0mm×210.0mm
 Certification : CE IP65

PN-AP4S (PN-AF4S)



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Circuit Breakers : 5A×2, 10A×1, 15A×1
(Fuse Holders : 5A×2, 10A×1, 15A×1)
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×60
Electrical wiring 【 UL / 1015】
Size of Panel : 130.0mm×100.0mm
Size of Hole : 107.0mm×82.0mm
Certification : CE IP65

PN-AP6S (PN-AF6S)



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Circuit Breakers : 5A×3, 10A×2, 15A×1
(Fuse Holders : 5A×2, 10A×1, 15A×1)
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×60
Electrical wiring 【 UL / 1015】
Size of Panel : 182.0mm×100.0mm
Size of Hole : 160.0mm×82.0mm
Certification : CE IP65

PN-AP8S (PN-AF8S)



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×8
Circuit Breakers : 5A×4, 10A×2, 15A×2
(Fuse Holders : 5A×4, 10A×2, 15A×2)
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×60
Electrical wiring 【 UL / 1015】
Size of Panel : 235.0mm×100.0mm
Size of Hole : 212.0mm×82.0mm
Certification : CE IP65

PN-AP4S / P (PN-AF4S / P)




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Circuit Breakers : 5A×2, 10A×1, 15A×1
(Fuse Holders : 5A×2, 10A×1, 15A×1)
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×60
Electrical wiring 【 UL / 1015】
Size of Panel : 130.0mm×100.0mm
Size of Hole : 107.0mm×82.0mm
Certification : CE IP65

PN-AP6S / P (PN-AF6S / P)



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Circuit Breakers : 5A×3, 10A×2, 15A×1
(Fuse Holders : 5A×3, 10A×2, 15A×1)
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×60
Electrical wiring 【 UL / 1015】
Size of Panel : 182.0mm×100.0mm
Size of Hole : 160.0mm×82.0mm
Certification : CE IP65

PN-AP8S / P (PN-AF8S / P)



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×8
Circuit Breakers : 5A×4, 10A×2, 15A×2
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×60
Electrical wiring 【 UL / 1015】
Size of Panel : 235.0mm×100.0mm
Size of Hole : 212.0mm×82.0mm
Certification : CE IP65

PN-DCS1 【POWER SOCKET PANEL】



Rating: 12V 20A / 24V 10A DC
Power Socket×1

Circuit Breakers : 10A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS2 【USB SOCKET PANEL】



Rating: 5V 3.1A DC(Total)
Dual Port USB Socket×1

Circuit Breakers : 5A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS3 【CIGARETTE SOCKET PANEL】



Rating: 12V 10A DC
Cigarette Socket×1

Circuit Breakers : 10A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS4 【VOLTMETER SOCKET PANEL】



Rating: 6~30V DC
Voltmeter Socket×1

Circuit Breakers : 5A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS5 【POWER SOCKET PANEL】



Rating: 12V 20A / 24V 10A DC
Power Socket×1

Circuit Breakers : 10A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS7 【AMMETER SOCKET PANEL】



Rating: 0~10A DC
Ammeter Socket×1

Circuit Breakers : 5A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS8 【VOLTMETER / AMMETER SOCKET PANEL】



Rating: 6~30V DC / 0~10A DC
Voltmeter / Ammeter Socket×1

Circuit Breakers : 5A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS9 【POWER SOCKET PANEL】



Rating: 12V 20A / 24V 10A DC
Power Socket×1

Circuit Breakers : 10A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-DCS4D 【DUAL VOLTMETER SOCKET PANEL】



Rating: 6~60V DC
Dual Voltmeter Socket×1

Circuit Breakers : 5A×1

Stainless Steel Screw ×4

Nitrile Rubber Gasket 【2.0mm】 ×1

Electrical wiring 【 UL / 1015】

Size of Panel : 60.0mm×100.0mm

Size of Hole : 42.0mm×82.0mm

Certification : CE IP65

PN-AB1 【BILGE PUMP PANEL】



Switch Rating : 12V 20A / 24V 10A DC
Rocker Switch 【SPDT / (ON)-OFF-ON】 ×1
Circuit Breakers : 10A×1
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Electrical wiring 【 UL / 1015】
Size of Panel : 60.0mm×100.0mm
Size of Hole : 42.0mm×82.0mm
Certification : CE IP65

PN-TV1 【BATTERY TEST PANEL】



Switch Rating : 12V 20A / 24V 10A DC
Rocker Switch 【SPDT / ON-OFF-ON】 ×1
Voltmeters×1
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Electrical wiring 【 UL / 1015】
Size of Panel : 60.0mm×100.0mm
Size of Hole : 42.0mm×82.0mm
Certification : CE IP65

PN-CB4



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Circuit Breakers : 5A×2、10A×1、15A×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×131.0mm
Size of Hole : 90.0mm×104.0mm
Certification : CE IP65

PN-CB6



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Circuit Breakers : 5A×3、10A×2、15A×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×183.0mm
Size of Hole : 93.0mm×160.0mm
Certification : CE IP65

PN-CB8



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×8
Circuit Breakers : 5A×4、10A×2、15A×2
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×235.0mm
Size of Hole : 90.0mm×210.0mm
Certification : CE IP65

PN-CB1 / S1S2



Rating: 12V 20A / 24V 10A DC
5V 3.1A DC(Total)
Power Socket×1
Dual Port USB Socket×1
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×60.0mm
Size of Hole : 90.0mm×40.0mm
Certification : CE IP65

PN-TF4J




Switch Rating : 12V 10A DC
Panel Rating : Maximum Cumulative Amp : **40A**
Toggle Switch 【SPST / ON-OFF】 ×4
Fuse Holders : 15A×2
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×28
Electrical wiring 【 UL / 1015】
Size of Panel : 100.0mm×110.0mm
Size of Hole : 86.0mm×86.0mm
Certification : CE IP65

PN-TF3J / S



Switch Rating : 12V 10A DC
Panel Rating : Maximum Cumulative Amp : **40A**
Toggle Switch 【SPST / ON-OFF】 ×3
Fuse Holders : 15A×2
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×28
Electrical wiring 【 UL / 1015】
Size of Panel : 100.0mm×110.0mm
Size of Hole : 86.0mm×86.0mm
Certification : CE IP65
Power Socket×1

PN-TF6J




Switch Rating : 12V 10A DC
Panel Rating : Maximum Cumulative Amp : **40A**
Toggle Switch 【SPST / ON-OFF】 ×6
Fuse Holders : 15A×2
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×28
Electrical wiring 【 UL / 1015】
Size of Panel : 100.0mm×110.0mm
Size of Hole : 86.0mm×86.0mm
Certification : CE IP65

PN-TF5J / S




Switch Rating : 12V 10A DC
Panel Rating : Maximum Cumulative Amp : **40A**
Toggle Switch 【SPST / ON-OFF】 ×5
Fuse Holders : 15A×2
Stainless Steel Screw ×4
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×28
Electrical wiring 【 UL / 1015】
Size of Panel : 100.0mm×110.0mm
Size of Hole : 86.0mm×86.0mm
Certification : CE IP65
Power Socket×1

PN-TSP6




Switch Rating : 12V 10A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **40A**
Stainless Steel Screw ×4
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel : 100.0mm×80.0mm
Size of Hole : 20.0mm×50.0mm
Certification : CE IP65

PN-AP4J




PN-AF4J




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×1, 15A×1
 (Fuse Holders : 5A×2, 10A×1, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-AP6J




PN-AF6J




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×6
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Electrical wiring 【 UL / 1015】
 Size of Panel : 182.0mm×100.0mm
 Size of Hole : 160.0mm×82.0mm
 Certification : CE IP65

PN-AP8J



PN-AF8J



Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×8
 Circuit Breakers : 5A×4, 10A×2, 15A×2
 (Fuse Holders : 5A×4, 10A×2, 15A×2)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Electrical wiring 【 UL / 1015】
 Size of Panel : 235.0mm×100.0mm
 Size of Hole : 212.0mm×82.0mm
 Certification : CE IP65

PN-TB4



PN-TF4



Switch Rating : 12V 10A DC
 Panel Rating : Maximum Cumulative Amp : **40A**
 Toggle Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×1, 15A×1
 (Fuse Holders : 5A×2, 10A×1, 15A×1)
 Stainless Steel Screw ×4
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-TB6



PN-TF6



Switch Rating : 12V 10A DC
 Panel Rating : Maximum Cumulative Amp : **40A**
 Toggler Switch 【SPST / ON-OFF】 ×6
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×4
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 182.0mm×100.0mm
 Size of Hole : 160.0mm×82.0mm
 Certification : CE IP65

PN-TB4/S1S2



PN-TF4/S1S2



Switch Rating : 12V 10A DC
 Panel Rating : Maximum Cumulative Amp : **40A**
 Toggle Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×2, 15A×1
 (Fuse Holders : 5A×2, 10A×2, 15A×1)
 Stainless Steel Screw ×4
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×40
 Electrical wiring 【 UL / 1015】
 Size of Panel : 182.0mm×100.0mm
 Size of Hole : 160.0mm×82.0mm
 Certification : CE IP65
 Power Socket×1
 Dual Port USB Socket×1

PN-R4S2



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Fuse Holders : 15A×2
Power Socket×1
Dual Port USB Socket×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×100
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×131.0mm
Size of Hole : 70.0mm×110.0mm
Certification : CE IP65

PN-R6S3



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Fuse Holders : 15A×3
Power Socket×1
Dual Port USB Socket×1
Voltmeter Socket×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×100
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×183.0mm
Size of Hole : 70.0mm×160.0mm
Certification : CE IP65

PN-R8S4



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×8
Fuse Holders : 15A×4
Power Socket×1
Dual Port USB Socket×1
Voltmeter Socket×1
Cigarette Socket×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×100
Electrical wiring 【 UL / 1015】
Size of Panel : 120.0mm×235.0mm
Size of Hole : 70.0mm×210.0mm
Certification : CE IP65

PN-L3S2



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Fuse Holders : 15A×2
Power Socket×1
Dual Port USB Socket×1
Stainless Steel Screw ×4
Indication Label ×40
Electrical wiring 【 UL / 1015】
Size of Panel : 110.0mm×100.5mm
Size of Hole : 90.0mm×75.0mm
Certification : CE IP65

PN-L6S3




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Fuse Holders : 15A×3
Power Socket×1
Dual Port USB Socket×1
Voltmeter Socket×1
Stainless Steel Screw ×6
Indication Label ×40
Electrical wiring 【 UL / 1015】
Size of Panel : 110.0mm×180.0mm
Size of Hole : 90.0mm×155.0mm
Certification : CE IP65

PN-LB6S3




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Circuit Breakers : 5A×2, 10A×1, 15A×1
Power Socket×1
Dual Port USB Socket×1
Voltmeter Socket×1
Stainless Steel Screw ×6
Indication Label ×40
Electrical wiring 【 UL / 1015】
Size of Panel : 140.0mm×180.0mm
Size of Hole : 115.0mm×155.0mm
Certification : CE IP65

PN-LB1Z




PN-LF1Z




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×1
 Circuit Breakers : 10A×1
 (Fuse Holders : 10A×1)
 Stainless Steel Screw ×4
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB3Z




PN-LF3Z




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×3
 Circuit Breakers : 5A×1, 10A×1, 15A×1
 (Fuse Holders : 5A×1, 10A×1, 15A×1)
 Stainless Steel Screw ×4
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB4Z




PN-LF4Z




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×1, 15A×1
 (Fuse Holders : 5A×2, 10A×1, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB6Z



PN-LF6Z




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×6
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB8Z




PN-LF8Z




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×8
 Circuit Breakers : 5A×4, 10A×2, 15A×2
 (Fuse Holders : 5A×4, 10A×2, 15A×2)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB5Z / S1




PN-LF5Z / S1



Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×5
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65
 Power Socket×1

PN-LB1H




PN-LF1H




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×1
 Circuit Breakers : 10A×1
 (Fuse Holders : 10A×1)
 Stainless Steel Screw ×4
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB3H




PN-LF3H




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×1, 10A×1, 15A×1
 (Fuse Holders : 5A×1, 10A×1, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB4H




PN-LF4H




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×4
 Circuit Breakers : 5A×2, 10A×1, 15A×1
 (Fuse Holders : 5A×2, 10A×1, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB6H




PN-LF6H




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×6
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB8H




PN-LF8H




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×8
 Circuit Breakers : 5A×4, 10A×2, 15A×2
 (Fuse Holders : 5A×4, 10A×2, 15A×2)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65

PN-LB5H / S1



PN-LF5H / S1




Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×5
 Circuit Breakers : 5A×3, 10A×2, 15A×1
 (Fuse Holders : 5A×3, 10A×2, 15A×1)
 Stainless Steel Screw ×6
 Nitrile Rubber Gasket 【2.0mm】 ×1
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel : 130.0mm×100.0mm
 Size of Hole : 107.0mm×82.0mm
 Certification : CE IP65
 Power Socket×1

PN-1704



Switch Rating : 12V 16A
 Panel Rating : Maximum Cumulative Amp : **40A**
 Circuit Breaker Switch×4
 Stainless Steel Screw ×2
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel: 50.0mm×130.0mm
 Size of Hole: 37.0mm×90.0mm
 Certification : CE IP65

PN-1705




Switch Rating : 12V 16A
 Panel Rating : Maximum Cumulative Amp : **16A**
 Circuit Breaker Switch×1
 Stainless Steel Screw ×2
 Electrical wiring 【 UL / 1015】
 Size of Panel: 50.0mm×130.0mm
 Size of Hole: 37.0mm×100.0mm
 Certification : CE IP65
 Power Socket×1
 Dual Port USB Socket×1

PN-1706



Switch Rating : 12V 16A
 Panel Rating : Maximum Cumulative Amp : **40A**
 Circuit Breaker Switch×6
 Stainless Steel Screw ×2
 Indication Label ×45
 Electrical wiring 【 UL / 1015】
 Size of Panel: 50.0mm×187.0mm
 Size of Hole: 37.0mm×150.0mm
 Certification : CE IP65

PN-1707



Switch Rating : 12V 16A
 Panel Rating : Maximum Cumulative Amp : **16A**
 Circuit Breaker Switch×1
 Stainless Steel Screw ×2
 Electrical wiring 【 UL / 1015】
 Size of Panel: 50.0mm×187.0mm
 Size of Hole: 37.0mm×155.0mm
 Certification : CE IP65
 Power Socket×1
 Dual Port USB Socket×1
 Voltmeter Socket×1

PN-1715



Switch Rating : 12V 20A / 24V 10A DC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×6
 Current shunt: 50A / 75mV
 Power Socket×1
 Dual USB Charger Socket×1
 Voltmeter / Ammeter Socket×1
 Circuit Breakers×6
 Stainless Steel Screw×4
 Electrical wiring 【 UL / 1015】
 Size of Panel: 200.0mm×175.0mm
 Size of Hole: 160.0mm×150.0mm
 Certification : CE IP65

PN-1716




Switch Rating : 12V 20A / 24V 10A DC
 125V 15A / 250V 10A AC
 Panel Rating : Maximum Cumulative Amp : **45A**
 Rocker Switch 【SPST / ON-OFF】 ×10 (DC×8) (AC×2)
 Current shunt: 50A / 75mV
 Power Socket×1
 Dual USB Charger Socket×1
 Voltmeter / Ammeter Socket×1
 Circuit Breakers×9
 Stainless Steel Screw×4
 Electrical wiring 【 UL / 1015】
 Size of Panel: 260.0mm×175.0mm
 Size of Hole: 145.0mm×215.0mm
 Certification : CE IP65

PN-1812




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×2
Stainless Steel Screw ×4
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×68.7mm
Size of Hole: 42.0mm×50.0mm
Certification : CE IP65

PN-1813




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×2
Stainless Steel Screw ×4
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×123.7mm
Size of Hole: 42.0mm×105.0mm
Certification : CE IP65
Power Socket×1

PN-1814




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Stainless Steel Screw ×4
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×123.7mm
Size of Hole: 42.0mm×105.0mm
Certification : CE IP65

PN-1815




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Stainless Steel Screw ×6
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×178.7mm
Size of Hole: 42.0mm×160.0mm
Certification : CE IP65
Power Socket×1

PN-1816




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Stainless Steel Screw ×6
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×178.7mm
Size of Hole: 42.0mm×160.0mm
Certification : CE IP65

PN-1817





Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Stainless Steel Screw ×6
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×233.7mm
Size of Hole: 42.0mm×215.0mm
Certification : CE IP65
Power Socket×1

PN-1818





Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×8
Stainless Steel Screw ×6
Indication Label ×100
Electrical wiring 【UL / 1015】
Size of Panel: 70.0mm×233.7mm
Size of Hole: 42.0mm×215.0mm
Certification : CE IP65

PN-1802





Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×4
Circuit Breakers : 5A×2, 10A×1, 15A×1
Negative Terminal×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel: 120.0mm×131.0mm
Size of Hole: 85.0mm×105.0mm
Certification : CE IP65

PN-1803




Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×6
Circuit Breakers : 5A×3, 10A×2, 15A×1
Negative Terminal×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel: 120.0mm×183.0mm
Size of Hole: 85.0mm×160.0mm
Certification : CE IP65

PN-1804



Switch Rating : 12V 20A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Rocker Switch 【SPST / ON-OFF】 ×8
Circuit Breakers : 5A×4, 10A×2, 15A×2
Negative Terminal×1
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.0mm】 ×1
Indication Label ×45
Electrical wiring 【 UL / 1015】
Size of Panel: 120.0mm×235.0mm
Size of Hole: 85.0mm×215.0mm
Certification : CE IP65

PN-1822




Switch Rating : 12V 10A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Touch Switch 【ON-OFF】 ×4
Circuit Breakers : 10A×4
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.5mm】 ×1
Electrical wiring 【 UL / 1015】
Size of Panel: 90.0mm×150.0mm
Size of Hole: 55.0mm×120.0mm
Certification : CE IP65

PN-1823



Switch Rating : 12V 10A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Touch Switch 【ON-OFF】 ×6
Circuit Breakers : 10A×6
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.5mm】 ×1
Electrical wiring 【 UL / 1015】
Size of Panel: 90.0mm×210.0mm
Size of Hole: 55.0mm×180.0mm
Certification : CE IP65

PN-1824



Switch Rating : 12V 10A / 24V 10A DC
Panel Rating : Maximum Cumulative Amp : **45A**
Touch Switch 【ON-OFF】 ×8
Circuit Breakers : 10A×8
Stainless Steel Screw ×6
Nitrile Rubber Gasket 【2.5mm】 ×1
Electrical wiring 【 UL / 1015】
Size of Panel: 90.0mm×270.0mm
Size of Hole: 55.0mm×240.0mm
Certification : CE IP65