

Build Your Future
PRODUCT SELECTION GUIDE
BITUO ELECTRIC

- Guitar Pedal Parts
- Auto Parts
- Anti-Vandal Switch
- Indicator Light




WENZHOU BITUO ELECTRIC CO., LTD

Add: 12-18, Liujiang Rd, Liushi, Wenzhou, Zhejiang, China 325604
Tel: +86 0577-6270 9277
M/T: +86 135 8753 8393
Email: bituo@bituoelec.com
Web: www.bituoelec.com

ENTERPRISE DEVELOPMENT PROCESS



BITUO ELECTRIC



2009
Since

6000+
products

70+
countries sold



ABOUT BITUO ELECTRIC

BITUO ELECTRIC, founded in 2009, has established one production base to manufacture all series of electrical switches and components in china.

BITUO has always been striving for continuous improvement of product performance, guided by satisfied customers' high expectations, that's why we use particularly high-quality materials and modern production technology. at the meantime, relying on an effective international quality management system. In the past 10 years, our products are widely sold to more than 70 countries all over the world.

With a total of 24 series, more than 6000 models of products, BITUO is committed to providing customers with one-stop purchase service.

"Be Together, Be Top", BITUO thanks the friends from all societies for your support and reliance, we'll persist on inheriting the enterprise culture, cultivating scientific and technological talents, fulfilling social responsibility.

BITUO ELECTRIC MISSION

BITUO's mission is to discover and promote the next leap in technology, education, culture, social responsibility, manufacturing and other fields, so as to constantly work together with customers, partners and enterprises to achieve a wonderful leap. BITUO will promote the development of technology and electrical technology more rapidly, more intelligently and more economically. At the meantime, the end users can apply the technical achievements in unprecedented wonderful ways, so their lives will become more comfortable, more colorful and faster.

BITUO is focusing on advanced robots, high-tech materials, measurement and control technology equipment, and high-end energy equipment, BITUO aims to form high-end manufacturing capacity, improve the layout of energy and industrial equipment industry chain, and develop the capability of providing integrated equipment manufacturing solutions.

In the dynamic and ever-changing world, by combining strong development capabilities with decentralized sales and service excellence, we have become one of the top providers in the market. The highest levels of professionalism from material development through manufacturing, together with a passion for the unlimited potential of switches are the foundation of our worldwide success as a premium switch maker.

A

Guitar Pedal Parts ***001-029***

Aluminum Enclosure	002-004
Pedal Switch	005-008
Toggle Switch	009-018
Knob	019-023
DC & Audio Jack	024-027
Rotary Switch	028-029

B

Anti-Vandal Switch ***030-043***

C

Auto Parts ***044-056***

D

Indicator Light ***057-061***

E

More Products ***062-111***

Terminals	063-064
Rocker Switch	065-073
Push Button Switch	074-082
Micro Switch	083-085
Tact Switch	087-090
Overload Protector	091-091
Key Switch	092-093
Dip Switch	094-094
Slide Switch	095-096
Fuse Holder	097-100
Power Socket	101-103
Banana Plug & Socket	104-106
Binding Post	107-107
Alligator Clip	108-109
Battery Holder	110-111












A





Guitar Pedal Parts






Product Description






The guitar pedal parts are used to make the piano change in volume and tone. It is the most important accessory in the piano except the keyboard. It is an indispensable accessory on the instrument. Here you can find any guitar pedal parts you want.






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Diameter: 50.5*50.5*31mm - Protection level: IP54	 Cover Overview
1590LB		
	- Diameter: 92.5*38.5*31mm - Protection level: IP54	 Cover Overview
1590A		
	- Diameter: 100*50*26mm - Protection level: IP54	 Cover Overview
1590G		
	- Diameter: 112*61*32mm - Protection level: IP54	 Cover Overview
1590B		
	- Diameter: 122*66*39.5mm - Protection level: IP54	 Cover Overview
125B		






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Diameter: 120*94.5*34mm - Protection level: IP54	
1590BB		
	- Diameter: 120*94*42.4mm - Protection level: IP54	
1590BBS		
	- Diameter: 120*94*56mm - Protection level: IP54	
1590C		
	- Diameter: 145*95*45.2mm - Protection level: IP54	
1590J		
	- Diameter: 145*121*39.5mm - Protection level: IP54	
1590XX		






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Diameter: 188*119*56.5mm - Protection level: IP54	
1590D		
	- Diameter: 188*119*37.5mm - Protection level: IP54	
1590DD		
	- Diameter: 254*71*52.5mm - Protection level: IP54	
1032L		
	- Diameter: 252*101.5*41.2 - Protection level: IP54	
GEP-2		
	Diameter: 12*4mm	
RB-1204		
	Diameter: 9.5*3.7mm	
RB-9537		






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: PCB Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: PCB Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: PCB Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: PCB Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Gold Solder Terminal	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal - LED Color: Red,Green,Yellow,Blue,White	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: PCB Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: ON-ON/ON-(ON) - Installation Mode: Solder Terminal	
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: OFF-(ON) - Installation Mode: Solder Terminal	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Rating: 3A 250VAC/6A 125VAC - Switch Function: OFF-(ON)/ON-(OFF) - Installation Mode: Wiring	
	Rating: 3A 250VAC/6A 125VAC	
	- Dimension: 17x6mm - Material: Aluminum - Color: Red, Yellow, Blue, Green etc.	
	- Dimension: 23x10mm - Material: Aluminum - Color: Red, Yellow, Blue, Green etc.	
	- Material: Aluminum - Color: Red, Yellow, Blue, Green etc.	






PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- MTS-102 ON-ON - MTS-103 ON-OFF-ON - MTS-112 ON-(ON) - MTS-113 ON-OFF-(ON) - MTS-123 (ON)-OFF-(ON) 3A 250VAC	
	- MTS-102-A2 ON-ON - MTS-103-A2 ON-OFF-ON - MTS-112-A2 ON-(ON) - MTS-113-A2 ON-OFF-(ON) - MTS-123-A2 (ON)-OFF-(ON) 3A 250VAC	
	- MTS-102-L1 ON-ON - MTS-103-L1 ON-OFF-ON 3A 250VAC	
	- MTS-102-C3 ON-ON - MTS-103-C3 ON-OFF-ON 3A 250VAC	
	- MTS-202 ON-ON - MTS-203 ON-OFF-ON - MTS-212 ON-(ON) - MTS-213 ON-OFF-(ON) - MTS-223 (ON)-OFF-(ON) 3A 250VAC	






PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- MTS-202-A2 ON-ON - MTS-203-A2 ON-OFF-ON - MTS-212-A2 ON-(ON) - MTS-213-A2 ON-OFF-(ON) - MTS-223-A2 (ON)-OFF-(ON) 3A 250VAC	
	- MTS-202-F1 ON-ON - MTS-203-F1 ON-OFF-ON 3A 250VAC	
	- MTS-202-L1 ON-ON - MTS-203-L1 ON-OFF-ON 3A 250VAC	
	- MTS-2033 ON-ON-ON 3A 250VAC	
	- MTS-302 ON-ON - MTS-303 ON-OFF-ON 3A 250VAC	






PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- MTS-302-A2 ON-ON - MTS-303-A2 ON-OFF-ON 3A 250VAC	
	- MTS-402 ON-ON - MTS-403 ON-OFF-ON 3A 250VAC	
	- MTS-402-A2 ON-ON - MTS-403-A2 ON-OFF-ON 3A 250VAC	
	- RLS-102-A1 ON-ON - RLS-103-A1 ON-OFF-ON 3A 250VAC	
	- SMTS-102 ON-ON 1.5A 250VAC	






PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- SMTS-102-A2 ON-ON 1.5A 250VAC	
	- SMTS-102-2C3 ON-ON - SMTS-103-2C3 ON-OFF-ON 1.5A 250VAC	
	- SMTS-202 ON-ON 1.5A 250VAC	
	- MLTS-101 ON-OFF - MLTS-111 OFF-(ON) 15A 250VAC	
	- MLTS-102 ON-ON - MLTS-103 ON-OFF-ON - MLTS-112 ON-(ON) - MLTS-113 ON-OFF-(ON) - MLTS-123 (ON)-OFF-(ON) 15A 250VAC	






PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- MLTS-201 ON-OFF - MLTS-211 OFF-(ON) 15A 250VAC	
	- MLTS-202 ON-ON - MLTS-203 ON-OFF-ON - MLTS-212 ON-(ON) - MLTS-213 ON-OFF-(ON) - MLTS-223 (ON)-OFF-(ON) 15A 250VAC	
	- MLTS-302 ON-ON - MLTS-303 ON-OFF-ON 15A 250VAC	
	- MLTS-402 ON-ON - MLTS-403 ON-OFF-ON 15A 250VAC	
	- MLTS-101P ON-OFF - MLTS-111P OFF-(ON) 15A 250VAC	

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- MLTS-102P ON-ON - MLTS-103P ON-OFF-ON - MLTS-112P ON-(ON) - MLTS-113P ON-OFF-(ON) - MLTS-123P (ON)-OFF-(ON) 15A 250VAC	
	- MLTS-201P ON-OFF - MLTS-211P OFF-(ON) 15A 250VAC	
	- MLTS-202P ON-ON - MLTS-203P ON-OFF-ON - MLTS-212P ON-(ON) - MLTS-213P ON-OFF-(ON) - MLTS-223P (ON)-OFF-(ON) 15A 250VAC	
	- MLTS-302P ON-ON - MLTS-303P ON-OFF-ON 15A 250VAC	
	- MLTS-402P ON-ON - MLTS-403P ON-OFF-ON 15A 250VAC	

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- MLTS-202E ON-ON - MLTS-203E ON-OFF-ON - MLTS-212E ON-(ON) - MLTS-213E ON-OFF-(ON) - MLTS-223E (ON)-OFF-(ON) 15A 250VAC	
	- KN3A-101 ON-OFF 10A 250VAC	
	- KN3A-102P ON-ON - KN3A-103P ON-OFF-ON - KN3A-112P ON-(ON) - KN3A-113P ON-OFF-(ON) - KN3A-123P (ON)-OFF-(ON) 10A 250VAC	
	- KN3B-101 ON-OFF 10A 250VAC	
	- KN3B-102 ON-ON - KN3B-103 ON-OFF-ON - KN3B-112 ON-(ON) - KN3B-113 ON-OFF-(ON) - KN3B-123 (ON)-OFF-(ON) 10A 250VAC	

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- KN3B-201 ON-OFF 10A 250VAC	
	- KN3B-202 ON-ON - KN3B-203 ON-OFF-ON - KN3B-212 ON-(ON) - KN3B-213 ON-OFF-(ON) - KN3B-223 (ON)-OFF-(ON) 10A 250VAC	
	- KNH-1S ON-OFF 3A 250VAC	
	- KNH-1 ON-OFF 3A 250VAC	
	- KNS-1 ON-OFF 3A 250VAC	

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- KN3-1 ON-OFF 2A 250VAC	
	- KN3-2 ON-ON 2A 250VAC	
	- KN3-3 ON-ON 3A 250VAC	
	- KN-32 ON-ON 5A 250VAC	
	- KN3-3A ON-ON 3A 250VAC	

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- WPC-05 (Cover For MTS) - M6x0.75	
	- WPC-06 (Cover For MLTS) - M12x0.75 - M12x1.0	
	- WPC-08 (Cover For MLTS) - M12x0.75 - M12x1.0	
	- WPC-11 (Cover For MLTS) - M12x0.75	
	- WPC-12 (Cover For MLTS) - M12x0.75	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTN-30-A(Φ 6.0/ Φ 6.35)		BTN-32(Φ 6.0/ Φ 6.35)	
BTN-034(Φ 6.0 18T)		BTN106-A(Φ 6.0)	
BTN106-C(Φ 6.0)		BTN-112(Φ 6.0/ Φ 6.35)	
BTN-1614(Φ 6.0 18T)		BTN-1615(Φ 6.0 18T)	
BTN-2319(Φ 6.35)		MSL-G / MSL-S(Φ 6.35) MSL-G-18T / MSL-S-18T (Φ 6.0 18T)	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTN7-1(Φ 6.35)		BTN7-1-18T(Φ 6.0 18T)	
BTN-19(Φ 6.35)		BTN-19-18T(Φ 6.0 18T)	
BTN483-5(Φ 6.0 18T)		BTN485-2(Φ 6.0 18T)	
BTN485-4(Φ 6.0 18T)		BTN-1250(Φ 6.35)	
BTN-1360(Φ 6.35)		BTN-1400(Φ 6.35)	

PRODUCT IMAGE



BTN116



BTN-135A

BTN-139B




BTN-A





BTN-B





BTND28-16-6











PRODUCT PARAMETERS

Type	A	B	D	H	Shaft Dia.	
BTN116-C	Φ33	Φ39	Φ36.0	23	Φ6.0	Φ6.4
BTN116-D	Φ25	Φ33	Φ28.5	21.5	Φ6.0	Φ6.4
BTN116-E	Φ18.8	Φ25	Φ21.3	21	Φ6.0	Φ6.4
BTN116-F	Φ13.2	Φ18	Φ15.3	20.6	Φ6.0	Φ6.4

Type	Marking	D	H	B	Shaft Dia.	
BTN-138A	Number:1~9	23.8	14	15	Φ6.0	Φ6.4
BTN-138B	Delta mark	23.8	14	15	Φ6.0	Φ6.4
BTN-135A	Number:1~9	29	19	16.4	Φ6.0	Φ6.4
BTN-135B	Delta mark	29	19	16.4	Φ6.0	Φ6.4
BTN-139A	Number:1~9	36.5	15.2	20	Φ6.0	Φ6.4
BTN-139B	Delta mark	36.5	15.2	20	Φ6.0	Φ6.4

Type	D	A	H	Shaft Dia.	
BTN-A01	Φ19.5	Φ12	11.5	Φ6.0	Φ6.4
BTN-A02	Φ22.9	Φ14.5	12.7	Φ6.0	Φ6.4
BTN-A03	Φ27	Φ21	16	Φ6.0	Φ6.4
BTN-A04	Φ33	Φ26	16	Φ6.0	Φ6.4
BTN-A05	Φ45	Φ37.1	20.3	Φ6.0	Φ6.4

Type	D	A	H	Shaft Dia.	
BTN-B01	Φ23.8	Φ13.8	15	Φ6.0	Φ6.4
BTN-B02	Φ28	Φ19.7	15	Φ6.0	Φ6.4
BTN-B03	Φ33.5	Φ23.4	15	Φ6.0	Φ6.4

Type	D	B	A	H	h	T	MXP	Φ			
BTN-42-20-6	42	28.5	20	20	18	8.5	M3×0.5	3.2	4	6	6.4
BTN-32-18-6	32	23	18	17	15.5	7.5	M3×0.5	3.2	4	6	6.4
BTN-28-16-6	28	20.6	16.2	15.5	13.5	7	M3×0.5	3.2	4	6	6.4
BTN-19-16-6	18.8	13.5	10.4	13	12.8	7	M3×0.5	3.2	4	6	6.4

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
 DC-002 Φ1.1mm	 DC-005	 DC-0053
 DC-0053A	 DC-012	 DC-014
 DC-021	 DC-022	 DC-022B
 DC-022K	 DC-025M	 DC-099 Φ11mm
 DC2.1/DC2.5	 DC2.1-F/DC2.5-F	 DC2.1-M1

PRODUCT IMAGE



DC2.1-T1 / DC2.5-T1

PRODUCT IMAGE



DC2.1-T2/DC2.5-T2

PRODUCT IMAGE



DC2.1-F2/DC2.5-F2

PRODUCT IMAGE



CT2504 Φ2.5mm / CT3504 Φ3.5mm

PRODUCT IMAGE



PJ-392 Φ3.5mm

PRODUCT IMAGE



PJ-628HB



CT3501-A/CT3502-A



BNC-12



BNC-13



PJ-629HAN



PJ-632H



PJ-644C



DC2.1-W/DC2.5-W



DC2.1F-W/DC2.5F-W



PJ-2.5-10 Φ2.5mm



PJ-644D



PJ-644F



PJ-645C



2F01 Φ2.5mm / 3F01 Φ3.5mm



2F01M Φ2.5mm / 3F01M Φ3.5mm



3F07 Φ3.5mm



PJ-645D



PJ-645F



PJ-646C



EJ-214M Φ3.5mm



CT2501 Φ2.5mm / CT3501 Φ3.5mm



CT2502 Φ2.5mm / CT3502 Φ3.5mm



PJ-646D







PJ-638FAX2



PJ-651A

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
PJ-662F	PJ-662FA	PJ-663A
PJ-669 MONO	PJ-670 STEREO	CT6352
CT6353	CT6355	CT6355-61
CT6356	AV-1	AV-5K 3P
AV4-8.4-7	RCA-018	RCA-105

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Rating: 0.5A 125VAC/0.3A 250VAC - Poles: 1, 2, 3, 4, 6 - Position: 1 ~ 12 - Shaft Option: Round or 18 Teeth - Terminal Option: Solder or PCB	
	- Rating: 0.5A 125VAC/0.3A 250VAC - Poles: 1, 2 - Position: 4, 8 - Shaft Option: Round or 18 Teeth - Terminal Option: PCB	
	- Rating: 16A 250VAC - Shaft Option: D Shaft - Terminal Option: Solder	
	- Rating: 0.5A 125VAC/0.3A 250VAC - Poles: 1, 2, 3, 4 - Position: 1 ~ 12 - Shaft Option: Round or 18 Teeth or D - Terminal Option: Solder or PCB	
	- Resistance Range: 10Ω~2MΩ - Resistance Value: 1K, 10K, 50K, etc - Resistance Taper: A, B, C	

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Resistance Range: 10Ω~2MΩ - Resistance Value: 1K, 10K, 50K,etc - Resistance Taper: A, B, C	
	- Resistance Range: 1KΩ~1MΩ - Resistance Value: 1K, 10K, 50K,etc - Resistance Taper: A, B, C	
	- Resistance Range: 1KΩ~1MΩ - Resistance Value: 1K, 10K, 50K,etc - Resistance Taper: A, B, C	
	- Resistance Range: 1KΩ~1MΩ - Resistance Value: 1K, 10K, 50K,etc - Resistance Taper: A, B, C	
	- Resistance Range: 1KΩ~1MΩ - Resistance Value: 1K, 10K, 50K,etc - Resistance Taper: A, B, C	



B

Anti-Vandal Switch

Product Description

Anti-vandal switches are designed for applications that are subjected to harsh use and attempts to damage them. Applications for anti-vandal switches (and tamper proof) include vending kiosks, public ticket dispensers, pedestrian cross walk signals and security keypad panels in a gated community.

Order Instruction

BTA	☐	☐	☐	☐	☐	☐	☐	☐
	↓	↓	↓	↓	↓	↓	↓	↓
	Diameter	Button Type	Connection Mode	LED Type	Lock Mode	Installation	LED Color	LED Voltage
	8mm	F-Flat Button	10-1NO;	No Mark-Without	L- Latching;	No Mark-Solder	No Mark-	No Mark-
	10mm	H-High Button	11-1NO1NC;	LED;	M-Momentary;	Terminal;	Without LED;	Without LED;
	12mm	B-Arc Button	20-2NO;	D-Dot LED ;		S-Screw	R- Red;	3-3V;
	16mm		22-2NO2NC;	E-Ring LED ;		Terminal;	G-Green;	6-6V;
	19mm			P-Power Symbol ;			B-Blue;	12-12V;
	22mm			EP-Ring LED with			Y-Yellow;	24-24V;
	25mm			Power Symbol;			W-White;	36-36V;
	30mm							48-48V;
	40mm							110-110V;
								220-220V;

PRODUCT IMAGE



BTA12-HS

PRODUCT IMAGE



BTA16-HS

PRODUCT IMAGE



BTA19-HS



BTA22-HS



BTA25-HS



BTAHC16-HS













BTAHC19-HS













BTAHC22-HS






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
 BTA8B-10M	- Switch rating: 5A 250VAC - Panel Mount Size: 8mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
 BTA8B-10M-A	- Switch rating: 5A 250VAC - Panel Mount Size: 8mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
 BTA8H-10M	- Switch rating: 5A 250VAC - Panel Mount Size: 8mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
 BTA10H-10M / BTA10H-10L	- Switch rating: 5A 250VAC - Panel Mount Size: 10mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
 BTA10H-10EM / BTA10H-10EL	- Switch rating: 5A 250VAC - Panel Mount Size: 10mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 12mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 16mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 10A 250VAC - Panel Mount Size: 16mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Rating: 10A 250VAC - Panel Mount Size: 19mm - LED Color: Red, Green, Yellow, Blue, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	






PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Screw - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Screw - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Momentary - Installation Mode: Screw - IP Class: IP67	
	- Switch rating: 10A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 10A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 19mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 22mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 22mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 22mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 22mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 22mm - Switch Function: Latching - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 22mm - Switch Function: Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 10A 250VAC - Panel Mount Size: 22mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 25mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	



PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT DRAWING
	- Switch rating: 5A 250VAC - Panel Mount Size: 25mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 25mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 30mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 30mm - Switch Function: Latching or Momentary - Installation Mode: Solder - IP Class: IP67	
	- Switch rating: 5A 250VAC - Panel Mount Size: 30mm - Switch Function: Latching or Momentary - Installation Mode: Solder - LED Color: Red, Yellow, Blue, Green, White - IP Class: IP67	


















C

Auto Parts

Product Description

As the basis of the automobile industry, auto parts are necessary factors to support the sustainable and healthy development of the automobile industry. In particular, the current auto industry is undergoing vigorous development and innovation, and it needs a strong component system to support it.

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
BTC-B5		BTC-L1	
			
BTC-L2		BTC-L3	
			
BTC-L4		BTC-L5	
			
BTC-L6		BTC-L8	
			
BTC-L9		BTC-F21(Nissan)	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
BTC-F22(Toyota)		BTC-F23(Honda)	
			
BTC2013L-3.1A		BTC2013L-4.2A	
			
BTC2013L-4.8A		BTC2013L-4.8A-V	
			
BTC2013		BTC2013-4.2A	
			
BTC2013-4.2A-P		BTC2013-DQ	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTC2013-2-3.1A		BTC2013-2-4.2A	
BTC2013-P		BTC2013-P6	
BTC2013H-3.1A		BTC2013H-3.1A-P	
BTC2013H-4.2A		BTC2013H-4.2A-M	
BTC2013H-4.2A-P		BTC2013H-4.8A	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTC2013H-4.8A-Y		BTC2013H-QL	
BTC2013-V		BTC2013V-P	
BTC2013V-Q		BTC4010	
BTC4010A		BTC4010-P	
BTC4010-T		BTC4010W	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTC4010W-P		BTC4010W-T	
BTC8010		BTC8010-Q	
BTC-S1		BTC-S2	
BTC-S3		BTC-S4	
BTC3		BTC6	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTC9		BTC1011	
BTC1011-L (With Light)		BTC3004	
BTC5015		BTC-Z2	
BTC-Z3		BTC-Z4	
BTC-Z5		BTC-Z6	

PRODUCT IMAGE

PRODUCT DRAWING

PRODUCT IMAGE

PRODUCT DRAWING

PRODUCT IMAGE


PRODUCT DRAWING

PRODUCT IMAGE

PRODUCT DRAWING




BTC-01



DPDT 5P(LED) 20A 12VDC




BTC-02D



DPDT 5P(LED) 20A 12VDC




BTC-05



SPST 2P 10A 12VDC




BTC-07D



SPST 3P ON-OFF(LED)
20A 12VDC




BTC-07D-2



SPST 3P ON-OFF(LED)
30A 12VDC




BTC-08



SPST 2P OFF-(ON)
30A 30VDC




BTC-09D



SPST 3P ON-OFF(Lamp)
20A 12VDC




BTC-11D



SPST 3P ON-OFF(Lamp)
20A 12VDC




BTC-13D



SPST 3P ON-OFF(Lamp)
20A 12VDC




BTC-13-101



SPST 2P ON-OFF
20A 12VDC




BTC-14D



SPST 3P ON-OFF(Lamp)
20A 12VDC




BTC-26-101



SPST 2P ON-OFF
20A 12VDC




BTC-17D



DPST 3P ON-OFF(LED)
35A 12VDC




BTC-18-2



20A 12VDC




BTC-18-4



20A 12VDC




BTC-14-101



SPST 2P ON-OFF
20A 12VDC




BTC-15D



SPST 3P ON-OFF(Lamp)
20A 12VDC




BTN-18



20A 12VDC




BTC-18-3













20A 12VDC














BTC-PIN-2



20A 12VDC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
BTC-PIN-7	20A 12VDC	BTC-PIN-10R	20A 12VDC
			
BTC-20D	SPST 3P ON-OFF(LED) 20A 12VDC	BTC-20D-2	SPST 3P ON-OFF(Lamp) 20A 12VDC
			
BTC-20D-3	SPST 3P ON-OFF(Lamp) 20A 12VDC	BTC-23-101	SPST 2P ON-OFF 6A 120VDC
			
BTC-13-103A	SPST 3P ON-OFF-ON 15A 120VDC	BTC-24	SPST 2P (ON)-OFF 20A 12VDC
			
BTC-25D	SPST 3P ON-OFF(Lamp) 20A 12VDC	BTC-29D	SPST 3P ON-OFF(LED) 20A 12VDC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
BTC1-06N	ON-OFF	BTC2-7-223	DPDT 6P (ON)-OFF-(ON)
			
BTC13-401-101	SPST 2P ON-OFF 50A 12VDC	BTC13-401-103	SPDT 2P ON-OFF-ON 50A 12VDC
			
BTC-101-12D	20A 12VDC	BTC-A01	300A 60VDC
			
BTC-A01B	300A 60VDC	BTC-A2-23B	50A 12VDC
			
BTC-B04	10A 12VDC	BTC-B05	10A 12VDC

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT IMAGE	PRODUCT PARAMETERS
	● Cigarette Ligther		● Cable & LED
BTCL-01		BTCL-02	
	● Cigarette Plug		● Cigarette Plug
BTCP-01		DE-02	
 			● Switch Rating: 12V 20A/24V 10A DC ● Maximum Cumulative Amp: 45A ● Rocker Switch(SPST/ON-OFF)×6 ● Stainless Steel Screw ×6 ● Electrical wiring: (UL/1015) ● Size of Panel: 70.0mm×178.7mm ● Size of Hole: 42.0mm×160.0mm
SAC-01		PN-1816	
	● 30A/40A 12V/24V/DC		● Relay Socket
JD1912 4P / JD1914 5P		JDS-1	
	● Relay Socket		● Relay Socket
JDS-2		JDS-3	

Marine Switch Order Instruction

BT	A							
↓	↓	↓	↓	↓	↓	↓	↓	↓
①	②	③	④	⑤	⑥	⑦	⑧	

② Base
1: 8pins 2: 6pins 3: 8pins/Barriers 4: 10pins

③ Poles
1: Singles Poles 2: Double Poles

④ Cover
1 2 3 4 5 6 7 8
9 K E F G L J X

⑤ Light
0: 0-Light 1: 1-Light 2: 2-Light

⑥ Terminal Number

⑦ Electrical Functions
A: ON-OFF
B: (ON)-OFF
C: ON-ON
D: (ON)-ON
E: ON-OFF-ON
F: (ON)-OFF-ON
G: (ON)-OFF-(ON)
H: ON-ON-ON
I: ON-ON-OFF
J: (ON)-ON-OFF
K: (ON)-ON-ON










⑧ Lens Colors
B
R
G
BL
OR
W





D

Indicator Light

Product Description


This series offers a bright LED light that is available in five colors; red, green, yellow, blue and white. You can also choose from three bezel styles; flat, round and protruding. Please see the spec sheet for more information.

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
BTL6F-DW		BTL8F-DW	
			
BTL10F-DW		BTL12F-DW	
			
BTL16F-D		BTL16FS-D	
			
BTL19F-D		BTL19FS-D	
			
BTL22FS-D		BTL22F-D	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
BTL12B-DW		BTL16B-DW	
			
BTL19B-DW		BTL22B-DW	
PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE	
			
AD16-16C	AD16-16E	AD16-16SM	
			
AD16-22DS	AD16-22DSV	AD101-22VMS	
			
AD16-22SM	BTL-02 / BTL-02S	BTL1-2-D	

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTL2-D	BTL3-D	BTL7-1
		
BTL8-1	BTL8-1W	BTL10-1
		
BTL10-3	BTL10-3W-2	BTL8-2
		
BTL8-2W	BTL-11A	BTL-11AW
		
BTL-14A	BTL10-8W	BTL10-7W

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
 BTL-14AW	 BTL016	 BTL22-6 / BTL22-8 BTL22-10 / BTL22-12 BTL22-14 / BTL22-16
 BTL-211	 BTL-212	 BTL-215
 BTL1604W	 E10B	 LC3-1 $\phi 3$ LED(Plastic) LC5-1 $\phi 5$ LED(Plastic)
 MLH-3 $\phi 3$ LED(Metal Nickel) MLH-5 $\phi 5$ LED(Metal Nickel)	 MLH-3-2 $\phi 3$ LED(Metal Chrome) MLH-5-2 $\phi 5$ LED(Metal Chrome)	 PLH-3 $\phi 3$ LED PLH-5 $\phi 5$ LED PLH-8 $\phi 8$ LED PLH-10 $\phi 10$ LED PLH-12 $\phi 12$ LED Plastic Chrome
 PLH-3K $\phi 3$ LED PLH-5K $\phi 5$ LED Plastic Black	 PLH-3K-2 $\phi 3$ LED(Plastic Black) PLH-5K-2 $\phi 5$ LED(Plastic Black)	 PLH-3K-3 $\phi 3$ LED(Plastic Black) PLH-5K-3 $\phi 5$ LED(Plastic Black)













Product Description











In addition to the products you have browsed on the home page, BITUO can still provide a variety of electrical switches and components to meet your multiple needs: push button switch, micro switch, rocker switch, tact switch, overload protector, key switch, dip switch, slide switch, fuse holder, power socket, banana plug, binding post, alligator clip, battery holder, terminals. For more information, please click the Pics accordingly.











BITUO adheres to high-end processing technology and strict quality inspection standards. No matter in your work or in your life, BITUO is committed to providing high-quality, stable and reliable products to ensure that our customers can enjoy convenient, practical and fast experience in all aspects.










PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BV series	E series	FDD series
		
FDFD series	FRD series	MDD series
		
MPD series	RV series	SV series
		
KW4 / KW5 / KW6	221-102/221-103/221-104/221-105	222-102/222-103/222-104/222-105
		
773-102/773-104/773-106/773-108	CH-2 / CH-3	SC Series

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
2EDGK-5.08	2EDGR-5.08/2EDGV-5.08	6P4C
		
6P6C	12M-AB / 16M-AB	JJC888
		
JJC-3510	JJC-9510	JJC-9550
		
JJC-9595	JJC-15050	JJC-18570
		
JJC-150150	JJC-240120	JJC-240240

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
SMRS-101 ON-OFF	3A 250VAC	SMRS-102 ON-ON	3A 250VAC
			
SMRS-103 ON-OFF-ON	3A 250VAC	SMRS-2-101 ON-OFF	3A 250VAC
			
SMRS-2-101N ON-OFF	3A 250VAC	SMRS-2-103 ON-OFF-ON	3A 250VAC
			
SMRS-303-1 SPST SMRS-303-2 DPST	3A 250VAC	MRS-101 ON-OFF	6A 250VAC
			
MRS-102 ON-ON	6A 250VAC	MRS-1-101 ON-OFF	6A 250VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
MRS-1-102 ON-ON	6A 250VAC	MRS-1-202 ON-ON MRS-1-203 ON-OFF-ON	6A 250VAC
			
MRS-2-101 ON-OFF MRS-2-111 OFF-(ON)	6A 250VAC	MRS-2-101EN ON-OFF	6A 250VAC
			
MRS-2-101N ON-OFF	6A 250VAC	MRS-2-101NW ON-OFF IP67	6A 250VAC
			
MRS-2-101W ON-OFF IP67	6A 250VAC	MRS-2-103 ON-OFF MRS-2-113 ON-OFF-(ON) MRS-2-123 (ON)-OFF-(ON)	6A 250VAC
			
MRS-4-201 ON-OFF	6A 250VAC	MRS-4-201N ON-OFF	6A 250VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
MRS-5-101 ON-OFF MRS-5-111 OFF-(ON)	6A 250VAC	MRS-5-101EN ON-OFF	6A 250VAC
			
MRS-5-101N ON-OFF	6A 250VAC	MRS-5-101NH ON-OFF	6A 250VAC
			
MRS-5-101NW ON-OFF IP67	6A 250VAC	MRS-5-101W ON-OFF IP67	6A 250VAC
			
MRS-5-102 ON-ON	6A 250VAC	MRS-5-102W ON-ON IP67 MRS-5-103W ON-OFF-ON IP67	6A 250VAC
			
MRS-5-103 ON-OFF-ON MRS-5-113 ON-OFF-(ON) MRS-5-123 (ON)-OFF-(ON)	6A 250VAC	MRS-5-202 ON-ON MRS-5-203 ON-OFF-ON	6A 250VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
MRS-6-201 ON-OFF	6A 250VAC	MRS-6-201N ON-OFF	6A 250VAC
			
MRS-6-203 ON-OFF-ON	6A 250VAC	MRS-6-2101 ON-OFF	6A 250VAC
			
MRS-6-2111EN ON-OFF	6A 250VAC	MRS-7-101 ON-OFF	6A 250VAC
			
MRS-8-101 ON-OFF	6A 250VAC	MRS-8-101EN ON-OFF	6A 250VAC
			
MRS-8-101N ON-OFF	6A 250VAC	MRS-8-101NW ON-OFF IP67	6A 250VAC

Rocker Switch

www.bituoelec.com

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
MRS-8-102 ON-ON	6A 250VAC	MRS-8-103 ON-OFF-ON	6A 250VAC
MRS-8-201N ON-OFF	6A 250VAC	MRS-9-101 ON-OFF	6A 250VAC
MRS-9-101N ON-OFF	6A 250VAC	MRS-9-102 ON-ON	6A 250VAC
MRS-9-103 ON-OFF-ON	6A 250VAC	MRS-12-101 ON-OFF	6A 250VAC
MRS-12-111 OFF-(ON)	6A 250VAC	MRS-12-111 OFF-(ON)	6A 250VAC
MRS-122-1 OFF-ON-ON	6A 250VAC	MRS-122-1 OFF-ON-ON	6A 250VAC

Rocker Switch

www.bituoelec.com












PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
SRS-101N ON-OFF	15A 250VAC	SRS-101EN ON-OFF	15A 250VAC
SRS-101NW ON-OFF IP67	15A 250VAC	SRS-101W ON-OFF IP67	15A 250VAC
SRS-102 ON-ON	15A 250VAC	SRS-103 ON-OFF-ON	15A 250VAC
SRS-2-101C ON-OFF	15A 250VAC	SRS-2-101NC ON-OFF	15A 250VAC
SRS-2-101NV ON-OFF	15A 250VAC	SRS-4-101 ON-OFF	15A 250VAC

PRODUCT IMAGE

PRODUCT DRAWING

PRODUCT IMAGE

PRODUCT DRAWING










PRODUCT IMAGE

PRODUCT DRAWING












PRODUCT IMAGE

PRODUCT DRAWING













Rocker Switch











www.bituoelec.com











PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
DRS-10-201 ON-OFF DRS-10-201N ON-OFF (LED)	16A 250VAC	KCD4-201-B ON-OFF KCD4-201N-B ON-OFF (LED)	30A 250VAC
			
RK1-03 ON-OFF	16A 250VAC	WPC-01	For 19.2 *13mm Switch
			
WPC-02	For $\Phi 20$ mm Switch	WPC-03	For 28 *10mm Switch
			
WPC-04	For 28.5 *21mm Switch	WPC-04B	For 30 *22mm Switch
			
WPC-13	For Oval 25*17mm switch	WPC-16	For $\Phi 14.4$ mm Switch
			
WPC-1510	For 13.8 * 9mm Switch	WPC-15	For 22.2 * 20mm Switch

Push Button Switch

www.bituoelec.com











PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
A16-11SF-N ON-(ON) A16-11ZF-N ON-ON	3A 250VAC	A16-11SJ-N ON-(ON) A16-11ZJ-N ON-ON	3A 250VAC
			
A16-11SY-N ON-(ON) A16-11ZY-N ON-ON	3A 250VAC	A16-11SR SPDT A16-22SR DPDT	3A 250VAC
			
A16-11ZX2 ON-ON 3P A16-22ZX2 ON-ON 6P A16-22ZX3 ON-OFF-ON 6P	3A 250VAC	PBS-10B OFF-(ON)	0.5A 250VAC
			
PBS-10B-2 OFF-(ON) PBS-10C-2 ON-(OFF)	0.5A 250VAC	PBS-11A PBS-11B	1A 250VAC
			
PBS-12A ON-OFF PBS-12B OFF-(ON)	1A 250VAC	PBS-13B PBS-13C	4A 250VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-14A ON-OFF PBS-14B OFF-(ON)	1A 250VAC	PBS-15B OFF-(ON) PBS-15C ON-(OFF)	3A 250VAC
			
PBS13-507 OFF-(ON)	3A 250VAC	PBS13-507K OFF-(ON)	3A 250VAC
			
PBS16-503A ON-OFF PBS16-503B OFF-(ON)	3A 250VAC	PBS16-503AD ON-OFF PBS16-503BD OFF-(ON)	3A 250VAC (With LED)
			
PBS16-504AD ON-OFF PBS16-504BD OFF-(ON)	3A 250VAC (With LED)	PBS-16A ON-OFF PBS-16B OFF-(ON)	1A 250VAC
			
PBS-17A ON-OFF	2A 250VAC	PBS-17A-2 ON-OFF	2A 250VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS18-16N ON-OFF	3A 250VAC (With LED)	PBS-19	10A 125VAC;6A 250VAC
			
PBS23-16N ON-OFF	16A 250VAC (With LED)	PBS-25B OFF-(ON) PBS-25C ON-(OFF)	1A 250VAC(H=5, 10, 15)
			
PBS-26B OFF-(ON) PBS-26C ON-(OFF)	3A 250VAC	PBS-27B OFF-(ON)	1A 250VAC
			
PBS-29B OFF-(ON)	3A 250VAC	PBS-33B OFF-(ON) IP54	1A 250VAC
			
PBS-33BW-DL ON-OFF IP67	2A 36VDC	PBS-33BW-DM OFF-(ON) IP67	2A 36VDC











Push Button Switch











www.bituoelec.com










PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-33BW-L ON-OFF IP67	2A 36VDC	PBS-33BW OFF-(ON) IP67	2A 36VDC
			
PBS-35B OFF-(ON)	3A 125VAC; 1A 250VAC	PBS-35C ON-(OFF)	3A 125VAC; 1A 250VAC
			
PBS-101M OFF-(ON)	0.5A 125VAC	PBS-101R OFF-(ON)	6A 250VAC; 10A 125VAC
			
PBS-211 ON-OFF PBS-213 OFF-(ON)	1A 250VAC	PBS-225 OFF-(ON) PBS-226 ON-OFF	1A 250VAC
			
PBS-227 OFF-(ON) PBS-228 ON-OFF	1A 250VAC	PBS-314 OFF-(ON) PBS-315 ON-(OFF)	0.5A 250VAC











Push Button Switch



www.bituoelec.com












PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-316 OFF-(ON)	0.5A 250VAC	PBS-318 OFF-(ON)	1A 250VAC
			
PBS-323 OFF-(ON)	1A 250VAC	PBS-402 OFF-(ON)	0.5A 125VAC
			
PBS-422AD ON-OFF 3P With LED PBS-422BD OFF-(ON) 3P With LED	10A 250VAC	PBS-428 ON-(ON)	5A 250VAC
			
PBS-429 ON-OFF	3A 125VAC; 1A 250VAC	PBS-430 ON-(OFF) PBS-431 OFF-(ON)	3A 125VAC 1A 250VAC
			
PBS-438 ON-(ON)	16A 250VAC	PBS-448 ON-(ON)	16A 250VAC











PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-450 ON-OFF PBS-451 OFF-(ON)	1A 250VAC	PBS-460 ON-OFF PBS-461 OFF-(ON)	1A 250VAC
			
PBS-500 OFF-(ON) PBS-501 ON-(OFF)	1A 250VAC	PBS-510 ON-OFF PBS-511 OFF-(ON)	1A 250VAC
			
PBS-612 ON-ON PBS-613 ON-(ON)	2A 250VAC; 5A 125VAC	PBS-858 OFF-(ON)	1A 250VAC
			
PBS-AN4 2X2 ON-(ON)	1A 250VAC	PBS2-21 ON-ON PBS2-22 ON-(ON)	3A 250VAC; 6A 250VAC (With LED)
			
PBS2-23 ON-ON PBS2-24 ON-(ON)	3A 250VAC; 6A 250VAC (With LED)	LXW20-11 ON-(ON)	15A 380VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-02A ON-OFF PBS-02B OFF-(ON)	2A 250VAC	PBS-03A ON-OFF PBS-03B OFF-(ON)	2A 250VAC
			
PBS-06 ON-OFF	1A 30VDC	PBS-9A-L ON-OFF	5A 250VAC
			
PBS-128 ON-OFF	1A 30VDC	PBS-KAN28 ON-OFF	1A 250VAC; 1A 30VDC
			
PBS6X6-A ON-ON PBS6X6-B ON-(ON)		PBS7X7-A ON-ON PBS7X7-B ON-(ON)	
			
PBS8.5X8.8-A ON-ON PBS8.5X8.5-B ON-(ON)		PBS8X8-A ON-ON PBS8X8-B ON-(ON)	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-29		PBS-30-2	
			
PBS-31		PBS-32	
			
PBS-32-2		PBS-33	
			
PBS-34		PBS-34-2	
			
PBS-36		PBS-36-2	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
PBS-39		PBS-100	
PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE	
			
PBS2X2-1J-A ON-ON PBS2X2-1J-B ON-(ON)	PBS2X2-A ON-ON PBS2X2-B ON-(ON)	PBS2X4-1A ON-ON PBS2X4-1B ON-(ON)	
			
PBS-12E01L ON-ON PBS-12E01N ON-(ON)	PBS-22E01L ON-ON PBS-22E01N ON-(ON)	PBS-22F03L ON-ON PBS-22F03N ON-(ON)	
			
PBS-22F05L ON-ON PBS-22F05N ON-(ON)	PS-42F09L ON-ON PS-42F09N ON-(ON)	PBS-A10-A PBS-A10-B	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
MS10-Z0P	1A~3A 250VAC	MS10-Z1P	1A~3A 250VAC
			
MS10-Z2P	1A~3A 250VAC	MS10-Z3P	1A~3A 250VAC
			
MS10-Z4P	1A~3A 250VAC	MS10-Z7P	1A~3A 250VAC
			
MS10-Z7L	1A~3A 250VAC	MS10-Z7R	1A~3A 250VAC
			
MS4A-Z1F150	5A 250VAC	MS4A-Z2F150	5A 250VAC
			
MS4A-Z3F150	5A 250VAC	MS4A-ZDF150	5A 250VAC

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
MS4A-Z4F150	5A 250VAC	MS4A-Z5F150	5A 250VAC
			
MS3A-Z1A200	16A 250VAC	MS3A-Z2A200	16A 250VAC
			
MS3A-Z3A200	16A 250VAC	MS3A-Z4A	16A 250VAC
			
MS3A-Z5A200	16A 250VAC	MS3A-Z6A200	16A 250VAC
			
MS3A-Z7A200	16A 250VAC	MS3A-Z13B200	16A 250VAC
			
MS3A-Z11B200	16A 250VAC	MS3A-Z12B200	16A 250VAC

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
MS4A-OZ(3A 250VAC)	V-15-1B5(16A 250VAC)	BVM3ON-(OFF) 10A 250VAC
		
HS-1	CN-05	WK1-1(3A 250VAC)
		
WK3-1(3A 250VAC)	WS1-Z5-W200R500 5A 250VAC IP67	WS2-Z4W200(10A 250VAC IP67)
		
Z-15G-B	Z-15GD-B	Z-15GQ-B
		
Z-15GQ21-B	Z-15GQ22-B	Z-15GW2-B

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
Z-15GW21-B	Z-15GW-B	Z-15GW22-B
		
Z-15GW2277-B	Z-15HW24-B	Z-15HW78-B
		
D4MC-1000	D4MC-1000	D4MC-2000
		
D4MC-2020	D4MC-5000	D4MC-5020

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTT-003A(3.7X6.1X2.5)	BTT-003B(4.2X6.1X2.5)	BTT-003C-4.3(3.5X6.1X4.3) BTT-003C-5.0(3.5X6.1X5.0)
		
BTT-003D-4.3(3.5X6.1X4.3) BTT-003D-5.0(3.5X6.1X5.0)	BTT-003E-4.3(3.5X6.1X4.3) BTT-003E-5.0(3.5X6.1X5.0)	BTT-003L-4.3(3.5X6.1X4.3) BTT-003L-5.0(3.5X6.1X5.0)
		
BTT-003P-4.3(3.5X6.1X4.3) BTT-003L-5.0(3.5X6.1X5.0)	BTT-004A(5.2X5.2X1.5)	BTT-004B-2.5(6.5X6.5X2.5) BTT-004B-3.1(6.5X6.5X3.1)
		
BTT-004D-2.5(6.5X6.2X2.5) BTT-004D-3.1(6.5X6.2X3.1)	BTT-004E-2.5(6.5X6.2X2.5) BTT-004E-3.1(6.5X6.2X3.1)	BTT335-1.8(3X3.5X1.8) BTT335-2.5(3X3.5X2.5)
		
BTT-3635(3.5X7X3.5)	BTT3425(3.2X4.2X2.5)	BTT3425-2(3.2X4.2X2.5)
		
BTT-WS665(6X6X5)	BTTS4408(5.2X5.2X1.0)	BTTS88HN(7.8X7.8X5.5)

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTTSX88HS(7.8X7.8X5.5)	BTT-045-H(4.5X4.5XH) H=3.8/4.3/4.8/5.0/7.0	BTT-045A-H(4.5X4.5XH) H=3.8/4.3/4.8/5.0/7.0
		
BTT-045P3-H(4.5X4.5XH) H=3.8/4.3/4.8/5.0/7.0	BTT-A06A-7.3F(6X6X7.3)	BTT-A06-7.3F(6X6X7.3)
		
BTT-A06-H(6X6XH) H=4.3~23	BTT-A06A-H(6X6XH) H=4.3~23	BTT-A06B-H(6X6XH) H=4.3~23
		
BTT-A06BS-H(6X6XH) H=4.3~23	BTT-A06P2-7.3F(6X6X7.3)	BTT-A06P2-H(6X6XH) H=4.3~23
		
BTT-A06P3-H(6X6XH) H=4.3~23	BTT-A06P4-H(6X6XH) H=4.3~23	BTT-A06T-H(6X6XH) H=4.3~23
		
BTT-A06Y-4.3 BTT-A06Y-5.0	BTT-A06W1-H(6X6XH) H=4.3~13	BTT-A06W2-H(6X6XH) H=4.3~13

PRODUCT IMAGE



BTT-A06W3-H(6X6XH)
H=4.3~13



BTT-A06-HW(6X6XH)
H=4.3~19 IP67



BTT-A08-HW(8X8XH)
H=6.5~19 IP67



BTT-M010-5.0W(10X10X5.0 IP67)



BTT-012A-H(12X12XH)
H=4.3~21

PRODUCT IMAGE



BTT-A06J-3.5W
6.5X6.2X3.5 IP67



BTT-M06-4.3W(6X6X4.3) IP67
BTT-M06-5.0W(6X6X5.0) IP67



BTT-A08A-HW(8X8XH)
H=6.5~19 IP67



BTT-M010A-5.0W(10X10X5.0 IP67)



BTT-012-H(12X12XH)
H=4.3~21

PRODUCT IMAGE



BTT-A06A-HW(6X6XH IP67)
H=4.3~19



BTT-M06A-4.3W(6X6X4.3) IP67
BTT-M06A-5.0W(6X6X5.0) IP67



BTT-010-H(10X10XH)
H=13/15/17/23/28.5/42 IP67



BTT-012-7.3F(12X12X7.3)



BTT-012P2-H(12X12XH)
H=4.3~21

PRODUCT IMAGE



BTT-012-7.3FW(12X12X7.3 IP67)



BTT-012-HW(12X12XH)
H=4.3~19 IP67



BTT-A061-DL2/BTT-A061-3L2
BTT-A061-7L2



BTT-A061L



BTT-012L(W/LED)
12X12X7.3

PRODUCT IMAGE



BTT-012A-7.3FW(12X12X7.3 IP67)



BTT-A061-2DL1



BTT-A063-DL1/BTT-A063-3L1
BTT-A063-7L1



BTT-A063L

PRODUCT IMAGE



BTT-012A-HW(12X12XH)
H=4.3~19 IP67



BTT-A061-DL1/BTT-A061-3L1
BTT-A061-7L1








BTT-A061-FL








BTT-A073L

PRODUCT IMAGE	PRODUCT PARAMETERS	PRODUCT IMAGE	PRODUCT PARAMETERS
	- Rating: 3A~20A 250V(AC/DC) - Lamp Voltage: 12V~220V - Terminal Type: Long Or Short		- Rating: 10A/16A 250VAC - Operating Temp: 0~260℃
	- Rating: 3A~25A 250V(AC/DC) - Button Color: Red or Black		- Rating: 2A/3A 250VAC - Operating Temp: 65~285℃
	Rating: 15A~50A 250V(AC/DC)		- Rating: 10A/15A 250VAC - Operating Temp: 65~285℃
	Rating: 15A~50A 250V(AC/DC)		- Rating: 5A 250VAC - Operating Temp: 40~150℃
	- Rating: 5A~20A 250V(AC/DC) - Lamp Voltage: 12V~220V		- Rating: 10A~63A 250V(AC/DC) - Material: Bakelite - Position: 1, 2, 3, 4

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	- BTK-01-101A ON-OFF 0.5A 250VAC	
	- BTK-01-101C ON-OFF 0.5A 250VAC	
	- BTK-02-101A ON-OFF 0.5A 250VAC	
	- BTK-03-101 ON-OFF - Length=23.5mm - BTK-03-111 OFF-(ON) - Length=30.2mm 0.5A 250VAC	
	- BTK16-101 ON-OFF - BTK16-102 OFF-ON-ON 2A 250VAC	






Key Switch

www.bituoelec.com

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	● BTK19-02-201 DP ON-OFF ● BTK19-02-102 SP ON-ON ● 2A 250VAC	
	● BTK19-03-201 DP ON-OFF ● BTK19-03-102 SP ON-ON ● 2A 250VAC	
	● BTK19-04-102 SP ON-ON ● BTK19-04-103 SP ON-ON-ON ● BTK19-04-202 DP ON-ON ● BTK19-04-203 DP ON-ON-ON ● 2A 250VAC	
	● BTK19-05-102 SP ON-ON ● BTK19-05-112 SP ON-(ON) ● BTK19-05-113 SP ON-ON-(ON) ● BTK19-05-123 SP (ON)-ON-(ON) ● BTK19-05-202 DP ON-ON ● BTK19-05-212 DP ON-(ON) ● BTK19-05-213 DP ON-ON-(ON) ● BTK19-05-223 DP (ON)-ON-(ON) ● 2A 250VAC	
	● BTK19-06 ON-OFF ● 2A 250VAC	

Dip Switch

www.bituoelec.com

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT DRAWING
	● BTDA-02 BTDA-07 ● BTDA-03 BTDA-08 ● BTDA-04 BTDA-10 ● BTDA-05 BTDA-12 ● BTDA-06	
	● BTDP-02 BTDP-07 ● BTDP-03 BTDP-08 ● BTDP-04 BTDP-10 ● BTDP-05 BTDP-12 ● BTDP-06	
	● BTDS-01 BTDS-07 ● BTDS-02 BTDS-08 ● BTDS-03 BTDS-09 ● BTDS-04 BTDS-10 ● BTDS-05 BTDS-12 ● BTDS-06	
	● BTDI-R01 BTDI-R06 ● BTDI-R02 BTDI-R07 ● BTDI-R03 BTDI-R08 ● BTDI-R04 BTDI-R10 ● BTDI-R05 BTDI-R12	
	● BTDM-R01 BTDM-R06 ● BTDM-R02 BTDM-R07 ● BTDM-R03 BTDM-R08 ● BTDM-R04 BTDM-R10 ● BTDM-R05 BTDM-R12	

PRODUCT IMAGE



MSS-22D18

PRODUCT IMAGE



SK-12D07

PRODUCT IMAGE



SK-12F14

PRODUCT IMAGE



SS-13D07

PRODUCT IMAGE



SS-22D07

PRODUCT IMAGE



SS-22I02



SK-13D07



SK-22D02



SK-22D07




SS-22K35



SS-23F19



DB-14




SK-23D07



SS-12D00



SS-12D07



SS8-1



SS8-5



SS8-7



SS-12D10



SS-12F15



SS-12F17




SS-12N03



SS-22N03



SS-22N06



SS-12F23



SS-12F25



SS-12F44



SS-23N02



TS-22E01AT15



TS-23E01AT15

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTFS-101(5x20 Φ12)		BTFS-102(5x20 Φ12)	
BTFS-103(5x20 Φ12)		BTFS-104(5x20 Φ13)	
BTFS-105(5x20 Φ12)		BTFS-11(5x20 Φ12.5)	
BTFS-115(5x20 Φ12)		BTFS-300(5x20 Φ12)	
BTFS-527(5x20 Φ12)		BTFS-528(5x20 Φ12)	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
BTFS-017(5x20)		BTFS-018(5x20)	
BTFS-101(6x30 Φ14)		BTFS-102(6x30 Φ14)	
BTFS-103(6x30 Φ15)		BTFS-104(6x30 Φ14)	
BTFS-22A(6x30 Φ14)		BTFS-309(6x30 Φ12)	
BTFS-310(6x30 Φ15)		BTFS-H052S(6x30 Φ15) 20A 250AC	











PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTF5-012	BTF5-013	BTF5-015
		
BTF5-563	BTF5-BHC1	BTF5X20 CLIP BTF6X30 CLIP
		
BTF6-016	BTF6-101L	BTF6-102L
		
BTF103-C1	BTF103-C2	BTF104-C1
		
BTF104-C2	BTF105-C	BTF106-C








PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTF107-C	BTF108-C	BTF109-C
		
BTF110-C	BTF111-C	BTF112-C
		
BTF113-C	BTF114-C	BTF116-C
		
BTF-1709	BTF-AFS1	BTF-AGU2
		
BTF-ANL4	BTF-CB2	BTF-QS3








PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTP-01	BTP-01A	BTP-02
		
BTP-02A	BTP-02D	BTP-003B
		
BTP-03	BTP-04	BTP-04E
		
BTP-04F	BTP-006	BTP-05
		
BTP-05C	BTP-06	BTP-008
		
BTP-06A	BTP-06B	BTP-06C

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTP-07	BTP-08	BTP-09
		
BTP-09B	BTP-10	BTP-10E
		
BTP-10F	BTP-10M	BTP-11
		
BTP-11U	BTP-12	BTP-019B
		
BTP-15	BTP-15B	BTP-16
		
BTP-18	BTP-1012	BTP-19 Pin BTP-19S Screw

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
		
BTP-304F	BTP-404F	BTP-501
		
BTP-3013L	BTP-3019	BTP-D82
		
DAA1(1A/3A/6A/10A)	DAI1(1A/3A/6A/10A)	DAI1K(1A/3A/6A/10A)
		
DAI2(1A/3A/6A/10A)	DAP1(1A/3A/6A/10A)	DBI5(1A/3A/6A/10A)
		
DBI6(1A/3A/6A/10A)	DCI7(1A/3A/6A/10A)	DEA4(6A/10A/20A)
		
BTP2-2(L=44.8mm)	BTP2-3(L=34.9mm)	BTP4-1(L=58mm)











PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
CX-02 Φ4mm		CX-03 Φ4mm	
			
CX-04 Φ4mm		CX-05 Φ4mm	
			
CX-06 Φ4mm		CX-07 Φ4mm	
			
CX-08 Φ4mm		CX-2041 Φ4mm	
			
CX-2067 Φ2mm		CX-2068 Φ2mm	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
CX-2070 $\Phi 4\text{mm}$		CX-2072 $\Phi 4\text{mm}$	
			
CX-2073 $\Phi 4\text{mm}$		CX-2074 $\Phi 4\text{mm}$	
			
CX-3018 $\Phi 4\text{mm}$		CX-3029 $\Phi 4\text{mm}$	
			⊙ Rated voltage/current: 30Vac-60Vdc/Max.10A 0.5mm²
CX-3033 $\Phi 4\text{mm}$		CX-3041 $\Phi 2\text{mm}$	
	⊙ Rated voltage/current: 30Vac-60Vdc/Max.19A 1.0mm²		⊙ Rated voltage/current: CATIII 1000V/19A 1.0mm²
CX-3044 $\Phi 4\text{mm}$		CX-3048 $\Phi 4\text{mm}$	

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
	⊙ Rated voltage/current: CATIII 1000V/19A 1.0mm²		⊙ Rated voltage/current: CATIII 1000V/19A 1.0mm²
CX-3050 Φ4mm		CX-3051 Φ4mm	
	⊙ Rated voltage/current: 30Vac-60Vdc/Max.19A 1.0mm²		
CZ-3052 Φ4mm		CZ2 Φ4mm	
			
CZ3 Φ4mm		CZ4 Φ4mm	
			
CZ-2022 Φ4mm		CZ-2082 Φ2mm	
			
CZ-2086 Φ2mm		CZ-2091 Φ2mm	

Binding Post

www.bituoelec.com

PRODUCT IMAGE	PRODUCT DRAWING	PRODUCT IMAGE	PRODUCT DRAWING
			
JS-301 $\Phi 8 \times 46\text{mm}$ JS-302 $\Phi 4 \times 42\text{mm}$		JS-2001 M6 40A JS-2003 M8 60A JS-2005 M10 100A	
			
JS-900A $\Phi 3\text{mm}$ JS-910A $\Phi 4\text{mm}$ JS-999A $\Phi 5\text{mm}$		JS-2030 $\Phi 3\text{mm}$	
			
JS-910B $\Phi 4\text{mm}$		JS-2043	
			
JS-999B $\Phi 4\text{mm}$		JS-9222 $\Phi 4\text{mm}$	
			
JS-999B-2 $\Phi 64\text{mm}$		JS-333 $\Phi 6\text{mm}$ JS-555 $\Phi 8\text{mm}$ JS-555B $\Phi 10\text{mm}$	

Alligator Clip

www.bituoelec.com

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT IMAGE	PRODUCT MODEL
	WD023 L=55mm Color: Red & Green & Yellow & Blue & Black		WD025 L=27.5mm 5A WD026 L=35 mm 5A WD027 L=42.5mm 10A Color: Red & Green & Yellow & Blue & Black
	WD029 L=55mm 10A Color: Red & Black		WD031 L=50mm 10A Color: Red & Black
	WD032 L=43mm 5A Color: Red & Black		WD033 L=101mm 50A Color: Red & Black
	WD036 L=54mm 10A Color: Red & Black		WD037 L=75mm 30A Color: Red & Black
	WD038 L=65mm 20A Color: Red & Black		WD038A L=27.5mm 5A WD038B L=35mm 5A WD038C L=42.5mm 10A Color: Red & Green & Yellow & Blue & Black

Alligator Clip

www.bituoelec.com

PRODUCT IMAGE	PRODUCT MODEL	PRODUCT IMAGE	PRODUCT MODEL
	- WD200W 200A - WD400W 400A - WD600W 600A - WD1000W 1000A - Color: Red & Black		- WD1069 L=84mm 30A - Color: Red & Green & Yellow & Blue & Black
	- WD1070 L=42mm 10A - Color: Red & Green & Yellow & Blue & Black		- WD1070-2 L=56mm 15A - Color: Red & Green & Yellow & Blue & Black
	- WD1071 L=52mm 10A - Color: Red & Green & Yellow & Blue & Black		- WD1072 L=90mm 20A - Color: Red & Green & Yellow & Blue & Black
	- WD1075 L=50mm 10A - Color: Red & Green & Yellow & Blue & Black		- WD1096 L=32/50mm 10A - WD1101 L=42/57mm 30A - Color: Red & Black
	- WD1096-3044 4mm Plug		- WD1106 L=72/82mm 50A - Color: Red & Green & Yellow & Blue & Black

Battery Holder

www.bituoelec.com

PRODUCT IMAGE	PRODUCT IMAGE	PRODUCT IMAGE
 BH5-2001(2AA)	 BH5-2003(2AA)	 BH5-3001(3AA)
 BH5-3003(3AA)	 BH5-3010(3AA)	 BH5-4001(4AA)
 BH5-4003(4AA)	 BH5-6002(6AA)	 BH5-6003(6AA)
 BH5-8003(8AA)	 WBH5-2003(3AA IP67)	 WBH5-3004(3AA IP67)
 BH7-2001(2AAA)	 BH7-2003(2AAA)	 BH7-3001(3AAA)
 BH7-3003(3AAA)	 BH7-3010(3AAA)	 BH7-4001(4AAA)

PRODUCT IMAGE



BH7-4002(4AAA)



BH18650-2001(18650)



BH2032-3(CR2032)



BH-9VS(9V)



DCK2



DCK7

PRODUCT IMAGE



BH7-4003(4AAA)



BH18650-3001(18650)



BH2032-5(CR2032)



9V-6(9V)



DCK3



DCK10

PRODUCT IMAGE



BH18650-1001(18650)



BH18650-4001(18650)



BH-9VPC(9V)



DCK1



DCK4



DCK9