
www.bituoelec.com

#### www.bituoelec.com

# Anti-Vandal Switch

M10×0.5

# **Order Instruction**











www.bituoelec.com

#### www.bituoelec.com

# Anti-Vandal Switch

#### PRODUCT IMAGE


## PRODUCT PARAMETERS

### PRODUCT DRAWING




BTA12B-10MS

- Switch rating: 5A 250VAC Panel Mount Size: 12mm
- Switch Function: Momentary
- Installation Mode: Screw
- IP Class: IP67






- Switch rating: 5A 250VAC
- Panel Mount Size: 12mm
- Switch Function: Momentary
- Installation Mode: Solder






BTA12B-10MS-R




- Panel Mount Size: 12mm
- Switch Function: Momentary
- Installation Mode: Screw
- IP Class: IP67





BTA12F-10EL / BTA12F-10EM


- Switch rating: 5A 250VAC
- Panel Mount Size: 12mm
- Switch Function: Lathing or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67





BTA12F-10L / BTA12F-10M

- Switch rating: 5A 250VAC
- Panel Mount Size: 12mm
- Switch Function: Lathing or Momentary
- Installation Mode: Solder
- IP Class: IP67



### PRODUCT IMAGE

BTA12F-10PL/BTA12F-10PM

BTA12H-10DL / BTA12H-10DM



BTA12H-10EL/BTA12H-10EM



BTA12H-10L / BTA12H-10M



BTA12H-10PL/BTA12H-10PM

#### PRODUCT PARAMETERS

- Switch rating: 5A 250VAC
- Panel Mount Size: 12mm
- Switch Function: Lathing or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67
- Switch rating: 5A 250VAC
- Panel Mount Size: 12mm
- Switch Function: Lathing or Momentary
- @ Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- P Class: IP67
- Switch rating: 5A 250VAC
- Panel Mount Size: 12mm
- Switch Function: Lathing or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67
- Switch rating: 5A 250VAC Panel Mount Size: 12mm
- Switch Function: Lathing or Momentary
- Installation Mode: Solder

Switch rating: 5A 250VAC

Panel Mount Size: 12mm

Installation Mode: Solder


IP Class: IP67

Switch Function: Lathing or Momentary


LED Color: Red, Yellow, Blue, Green, White


@ IP Class: IP67







PRODUCT DRAWING











www.bituoelec.com

www.bituoelec.com

# Anti-Vandal Switch

M16×1

PRODUCT DRAWING

#### PRODUCT IMAGE


#### PRODUCT PARAMETERS

#### PRODUCT DRAWING



BTA16B-10MS


- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Screw
- IP Class: IP67





BTA16F-10EM


- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67





BTA16F-10EPM


- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- @ IP Class: IP67





BTA16F-10M


- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Solder
- IP Class: IP67





BTA16F-10MS

- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Screw
- IP Class: IP67



### PRODUCT IMAGE

BTA16H-10M



BTA16H-10MS



BTA16F-11EL/BTA16F-11EM



BTA16F-11L/BTA16F-11M

#### PRODUCT PARAMETERS

- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67
- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Solder
- IP Class: IP67
- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Momentary
- Installation Mode: Screw
- IP Class; IP67
- Switch rating: 5A 250VAC Panel Mount Size: 16mm Switch Function: Latching or Momentary
- Installation Mode: Solder

Switch rating: 5A 250VAC

Panel Mount Size: 16mm

Installation Mode: Solder

IP Class: IP67

LED Color: Red, Yellow, Blue, Green, White

Switch Function: Latching or Momentary

@ IP Class: IP67



www.bituoelec.com

#### www.bituoelec.com

# Anti-Vandal Switch

# PRODUCT IMAGE

BTA16F-11EPL/BTA16F-11EPM



BTAHC16F-10EL/BTAHC16F-10EM



BTA19-11ZK



BTA19-11ZX



BTA19B-10MS

#### PRODUCT PARAMETERS

- Switch rating: 5A 250VAC
- Panel Mount Size: 16mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67
- Switch rating: 10A 250VAC
- Panel Mount Size; 16mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67



- Panel Mount Size: 19mm
- Switch Function: Latching


Switch rating: 5A 250VAC Panel Mount Size: 19mm


Switch Function: Latching Installation Mode: Solder


- Installation Mode: Solder
- P Class: IP67

IP Class: IP67












- Switch Function: Momentary
- Installation Mode: Screw
- IP Class: IP67


### PRODUCT DRAWING











# PRODUCT IMAGE



BTA19-BZ(Buzzer)



BTA19F-10EM



BTA19F-11EL / BTA19F-11EM





BTA19F-11EPL/BTA19F-11EPM

#### PRODUCT PARAMETERS

- Rating: 10A 250VAC
- @ Panel Mount Size: 19mm


Switch rating: 5A 250VAC

Panel Mount Size: 19mm

Switch Function: Momentary Installation Mode: Solder

- LED Color: Red, Green, Yellow, Blue, White
- @ IP Class: IP67

PRODUCT DRAWING






P Class: IP67

Installation Mode: Solder LED Color: Red, Yellow, Blue, Green, White

LED Color: Red, Yellow, Blue, Green, White

@ IP Class: IP67



BTA19F-11L / BTA19F-11M

### Switch rating: 5A 250VAC

- Panel Mount Size: 19mm
- Switch Function: Latching or Momentary

Switch Function: Latching or Momentary

LED Color: Red, Yellow, Blue, Green, White

Installation Mode: Solder


Switch rating: 5A 250VAC


Panel Mount Size: 19mm

Installation Mode: Solder

IP Class: IP67

@ IP Class: IP67





#### www.bituoelec.com

#### www.bituoelec.com

# Anti-Vandal Switch

PRODUCT DRAWING

### PRODUCT IMAGE


### PRODUCT PARAMETERS

### PRODUCT DRAWING



- Switch Function: Latching Installation Mode: Solder
- @ IP Class: IP67










BTA19F-22EL/BTA19F-22EM




- Panel Mount Size: 19mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67





BTA19F-22L / BTA19F-22M


- Switch rating: 5A 250VAC
- Panel Mount Size: 19mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- IP Class: IP67





BTA19F-10EMS


- Switch rating: 5A 250VAC
- Panel Mount Size: 19mm
- Switch Function: Momentary
- Installation Mode: Screw
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67





BTA19F-10EPMS

- Switch rating: 5A 250VAC
- Panel Mount Size: 19mm
- Switch Function: Momentary
- Installation Mode: Screw
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67



# PRODUCT IMAGE

Switch rating: 5A 250VAC

Panel Mount Size: 19mm

Switch Function: Momentary

PRODUCT PARAMETERS



Installation Mode: Screw IP Class: IP67



- Switch rating: 5A 250VAC
- Panel Mount Size: 19mm
- Switch Function: Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- P Class: IP67



BTA19H-10EPM

BTA19H-10EM

- Switch rating: 5A 250VAC
- Panel Mount Size: 19mm
- Switch Function: Momentary Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- @ IP Class: IP67



BTA19H-10MS

- Switch rating: 5A 250VAC
- Switch Function: Momentary



BTAHC19F-10EPL/BTAHC19F-10EPM

- Panel Mount Size: 19mm
- Installation Mode: Screw

Switch rating: 10A 250VAC Panel Mount Size: 19mm

Installation Mode: Solder

IP Class: IP67

Switch Function: Latching or Momentary

LED Color: Red, Yellow, Blue, Green, White

@ IP Class: IP67





040 B

www.bituoelec.com

#### www.bituoelec.com

# Anti-Vandal Switch

### PRODUCT IMAGE

BTAHC19F-10L/BTAHC19F-10M



BTAQ19F-11EL/BTAQ19F-11EM



BTA22F-11EL / BTA22F-11EM



BTA22F-11L / BTA22F-11M



BTA22F-11EPL / BTA22F-11EPM

#### PRODUCT PARAMETERS

#### Switch rating: 10A 250VAC

- Panel Mount Size: 19mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- IP Class: IP67





- Panel Mount Size: 19mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67




- Panel Mount Size: 22mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- @ IP Class: IP67
- Switch rating: 5A 250VAC
- Panel Mount Size: 22mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- IP Class: IP67
- Switch rating: 5A 250VAC
- Panel Mount Size: 22mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67


### PRODUCT DRAWING












#### PRODUCT IMAGE

# PRODUCT PARAMETERS



- Panel Mount Size: 22mm
- Switch Function: Momentary
- Installation Mode: Solder IP Class: IP67




PRODUCT DRAWING



BTA22F-11SR


- Switch rating: 5A 250VAC
- Panel Mount Size: 22mm
- Switch Function: Latching
- Installation Mode: Solder





BTA22H-10M

- Switch rating: 5A 250VAC
- Panel Mount Size: 22mm
- Switch Function: Momentary Installation Mode: Solder
- IP Class: IP67






BTAHC22F-11EL/BTAHC22F-11EM






@ IP Class: IP67









BTA25F-11EL / BTA25F-11EM

- Switch rating: 5A 250VAC
- Panel Mount Size: 25mm
- Switch Function: Latching or Momentary

LED Color: Red, Yellow, Blue, Green, White


- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- P Class: IP67

#### PRODUCT IMAGE

BTA25F-11L / BTA25F-11M

# PRODUCT PARAMETERS

- Switch rating: 5A 250VAC
- Panel Mount Size: 25mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- IP Class: IP67




PRODUCT DRAWING



BTA25F-11EPL/BTA25F-11EPM


- Switch rating: 5A 250VAC
- Panel Mount Size: 25mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67





BTA30F-11EL / BTA30F-11EM


- Switch rating: 5A 250VAC
- Panel Mount Size: 30mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67





BTA30F-11L / BTA30F-11M

- Switch rating: 5A 250VAC
- Panel Mount Size: 30mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- IP Class: IP67





BTA30F-11EPL / BTA30F-11EPM

- Switch rating: 5A 250VAC
- Panel Mount Size: 30mm
- Switch Function: Latching or Momentary
- Installation Mode: Solder
- LED Color: Red, Yellow, Blue, Green, White
- IP Class: IP67

